

ST-17LKM1U LCD KVM Console Drawer

Features:

- 1U High.
- 17" High Resolution LCD Display.
- Unique 1U mechanical design to maximize rack mountable space.
- Multi language membrane with touchpad, PS2 Compatible.
- Build in side railing with 2 pull-out stages.
- Built-in on screen display controlled by integral membrane switches.
- Single power source - 12V 5A power adapter (included).
- Front security lock available.
- Industrial heavy-duty steel housing.
- 8 or 16 ports embedded KVM switch (optional).



Technical Specifications:

Gross Weight	15kgs (33.3lbs)
Dimension	17.32" x 1.73" x 20.3" (W x H x D)
	440mm x 44mm x 515mm (W x H x D)
Power Adapter	AC Input: 100 -240V , 50~60HZ, DC Output: 12V
Operating Condition	Humidity: 20% ~ 80% Temperature: 0°C ~ 40°C
Storage Condition	Humidity: 20% ~ 80% Temperature: -20°C ~ 60°C
Extension Rail	Up to 34.37" (873 mm)
	Two pull-out stages: Release tabs on side railing for 2 nd stage drawer locks
Construction Material	Industrial Heavy Duty Steel
Keyboard	Membrane 105 key with touchpad, IBM/AT/PS2 Compatible
Language	US & HE (optional)
Color	Black, Beige
Protection	Tempered glass (optional)
Security Lock	YES
Side Rail	Build-in side railing for instant installation


Display Specifications:

Type	Active matrix TFT LCD panel
Diagonal	17" (431.8mm)
Max. LCD Resolution	Up to 1280 x 1024 @ 75Hz
On Screen Display	YES
Pixel Pitch	0.264(H) x 0.264(W) mm
Display Mode	VGA/SVGA/XGA/SXGA
Supports	DDC/DDC2/DDCB2
DDC Emulation	VGA settings automatically adjusted
Display Color	16.7M
View Angle L/R	120°
Contrast Ratio	800:1
Brightness	250 cd/m ²


KVM switch Specifications:

Number of ports	8/16
Operating systems	DOS, Win 95/98/NT/2000/XP, Netware, HP Unix, Linux
Hot plug	Add or remove connected PCs for maintenance without powering down KVMS switch
Video quality	Up to 1920 x 1440 with 200Mhz bandwidth
Bandwidth	200MHz
Auto scan mode	5sec – 99sec
Keyboard/mouse support	USB/PS2 (windows), MAC or SUN Microsystems USB (optional)


Measurements:



Front out-side view



Rear out-side view
(ST-17LKM1U-1C)



How to order:

Number of KVM ports	P/N
No KVM	ST-17LKM1U-1C
With embedded 8 ports KVM	ST-17LKM1U-8C
With embedded 16 ports KVM	ST-17LKM1U-16C

For further information please contact:



STARCOM Electronics Ltd.

14 Bar-Kochva st. Bnei-Barak, 51261, Israel
 Tel: +972-3-5799041, Fax: +972-3-5782445
 e-mail: starcom@starcomltd.com
www.starcomltd.com